

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

Claim 1 (Currently Amended): A mobile apparatus incorporating a camera, comprising:

a camera lens;

a hand strap fitting part formed on the same surface of the mobile apparatus on which the camera lens is located; and

~~a camera lens;~~

wherein the hand strap fitting part is formed in a position that comes below the camera lens ~~when the mobile apparatus is held for ordinary photographing~~ so that a hand strap connected to the hand strap fitting part does not move into a field of view of the camera lens when the mobile apparatus is held for photographing in an upright position in which a longer side of the mobile apparatus is held upright with a top portion thereof being directed upward.

Claim 2 (Currently Amended): A mobile apparatus as claimed in claim 1, wherein the hand strap fitting part is located in such a way that a swinging center of the hand strap comes below a horizontal line tangential to a bottom edge of the camera lens when the mobile apparatus is held for photographing in the upright position.

Claim 3 (Currently Amended): A mobile apparatus as claimed in claim 1, wherein the mobile apparatus is a mobile telephone, ~~and the hand strap fitting part is located on an identical surface on which the camera lens is located.~~

Claim 4 (Currently Amended): A mobile apparatus incorporating a camera, comprising[[:]]:

a camera lens;

a hand strap fitting part formed on the same surface of the mobile apparatus on which the camera lens is located; and

~~a camera lens; and~~

a hand strap holding part means for holding a free-end portion of a hand strap of which a tied-end portion is fixed to the hand strap fitting part so that the hand strap is kept outside a field of view of the camera lens and prevented from swinging.

Claim 5 (Currently Amended): A mobile apparatus as claimed in claim 4,
wherein the hand strap holding part means is a pinch holding gap in which the ~~the~~ [[a]] free-end portion of the hand strap is ~~inserted so as to be pinched in a gap~~ and thereby held.

Claim 6 (Currently Amended): A mobile apparatus as claimed in claim 4,
wherein the hand strap holding part comprises means is a hook-shaped protrusion formed integrally with a housing of the mobile apparatus.

Claim 7 (Currently Amended): A mobile apparatus incorporating a camera,
comprising~~[[;]]~~:

a camera lens;

a hand strap fitting part formed on the same surface of the mobile apparatus on which the camera lens is located.~~[[;]]~~

wherein a tied-end portion of the hand strap is fixed to the hand strap fitting part and held thereby, and

wherein the mobile apparatus is further provided with a first holding portion for holding a portion of the hand strap in proximity to the tied-end portion thereof and a second holding portion for holding a free-end portion of the hand strap so that the hand strap is kept outside a field of view of the camera lens and prevented from swinging

~~a camera lens; and~~

~~at least one hook-shaped protrusion formed integrally with a housing of the mobile apparatus;~~

~~wherein a gap is formed between the hook-shaped protrusion and the housing of the mobile apparatus so that, when a hand strap is inserted therein, the hand strap is pinched and thereby held so as to be prevented from swinging and thereby kept outside a field of view of the camera lens.~~

Claim 8 (Currently Amended): A mobile apparatus as claimed in claim 7,
wherein the mobile apparatus is a mobile telephone, and wherein the first holding portion
and the second holding portion are arranged on a surface lateral to the surface on which the
camera lens is located ~~the hand strap fitting part and one hook-shaped protrusion for holding a~~
~~free-end portion of the hand strap are located on an identical surface on which the camera lens is~~
~~located.~~

Claim 9 (Currently Amended): A mobile apparatus as claimed in claim 8 [[7]],
wherein each of the first holding portion and the second holding portion comprises a
hook-shaped protrusion formed integrally with a housing of the mobile apparatus so as to leave a
gap from the housing ~~the mobile apparatus is a mobile telephone, and the hand strap fitting part~~
~~is located on an identical surface on which the camera lens is located, and two hook-shaped~~
~~protrusions for holding a free-end portion and a tied-end portion of the hand strap respectively~~
~~are formed on a surface situated toward a side of the camera lens, and~~
each of the portion of the hand strap in proximity to the tied-end portion thereof and the
free-end portion thereof is inserted into the gap, pinched, and thereby held between the housing
and the protrusion.